

20584:58 6/5g Phocidae sp.	radius dex. fr. prox. mt II sin. fr. prox.	1 1
-:11/1g -		
-:20/16g Phocidae sp.	squamosum dex. fr. phalanx prima tarsi fr. prox. phalanx sec. tarsi fr. dist.	1 1 1
-:26/3g cf. <u>Alces</u>	os sesamoideus tarsi fr.	1
-:31/1g, 36/1g -		
-:44/1g Phocidae sp.	mt II sin. fr. dist.	1
-:50/2g Phocidae sp.	mt IV sin. fr. prox.	1
56/11g Phocidae sp.	meatus audit. ext. sin. fr. vertebra caudalis fr.	1 1
<u>Castor fiber</u>	humerus sin. fr. phalanx prima carpi s.e.	1 1
-:60/1g -		
-:68/2g Phocidae sp.	humerus sin. fr. dist.	1
-:71/3g Phocidae sp.	calcaneum dex. fr.	1
-:77/6g Phocidae sp.	phalanx prima carpi fr. prox. phalanx sec. carpi fr. prox. entocuneiforme dex. mt I sin. fr. prox.	1 1 1 1
-:80/4g Phocidae sp.	mc I dex. epiph. prox. femur dex. fr. dist.	1 1
-:84/9g Phocidae sp. <u>Castor fiber</u>	humerus dex. fr. dist. phalanx prima carpi s.e.	1 1

20584:87/1g

-

-:89/2g

Esox lucius

vertebra fr.

1

-:92/7g

Phocidae sp.

radius sin. fr. prox.

1

mc indet. fr. dist.

1

phalanx ung. carpi fr. prox.

1

fibula dex. epiph. dist.

1

-:97/6g

Phocidae sp.

mc indet. epiph. dist.

1

mt indet. fr. dist.

2

-:100/2g

Phocidae sp.

phalanx sec.

1

cuboideum sin. fr.

1

-:104/3g

Phocidae sp.

phalanx sec. fr. dist.

1

tibia s9n. epiph. prox. fr.

1

-:109/2g

-

-:114/5g

Phocidae sp.

phalanx sec. s.e.

1

patella

1

naviculare dex.

1

-:119/3g

Phocidae sp.

mc indet. fr. dist.

2

phalanx prima dex. fr. dist.

1

-:124/18g

Phocidae sp.

vertebra caudalis ffr.

1

caput humeri ff.

1

phalanx prima carpi fr. dist.

1

calcaneum dex. fr.

1

-:128/5g

Phocidae sp.

phalanx prima carpi fr. dist.

1

phalanx ung. carpi

1

-:132/13g

Phocidae sp.

radius sin. fr. prox.

1

radius sin. fr. prox. s.e.

1

mc I sin. epiph. prox.

1

mc indet. epiph. dist.

1

phalanx prima carpi

1

phalanx prima s.e.

1

Castor fiber-:135/2g, 139/1g, ~~XXX~~

-

-:144/1g

Perca fluviatilis

vertebra

1

20584/151/3g Phocidae sp.	phalanx prima carpi fr. prox. mc indet. fr. dist. mt III dex. fr. prox.	1 1 1
+ luuesineen kappale (?)		
-:159/1g -		
-:161/1g Phocidae sp.	bullae auditorius dex. fr.	1
-:165/2g -		
-:168/4g Phocidae sp.	astragalus sin. fr.	1
±; 73/7g Phocidae sp.	squamosum dex. fr. phalanx sec. carpi s.e.	1 1
-:179/4g Phocidae sp.	patella fr. phalanx prima fr. prox.	1 1
-:187/17g Phocidae sp.	astragalus fr. entocuneiforme sin. fr. mt. indet. epiph. dist. mt indet. fr. dist.	1 1 1 1
-:194/2g Phocidae sp. <u>Perca fluviatilis</u>	phalanx ung. tarsi fr. prox. vertebra	1 1
-:199/3g Phocidae sp.	astragalus sin. fr.	1
-:204/3g Phocidae sp.	astragalus sin. fr. phalanx prima tarsi ff. prox.	1 1
-:213/3g <u>Castor fiber</u> Phocidae sp.	phalanx prima carpi s.e. cuboideum sin. fr.	1 1
-:EK 218/4g Phocidae sp. Cyprinidae sp.	phalanx prima tarsi fr. dist. vertebra fr.	1 1
-:229/1g, 236/1g, 239/2g -		
-:246/7g Phocidae sp.	tibia sin. fr. prox. mt III sin. ffr. prox.	1 1

20584:258/1g

-

-:264/1g

Phocidae sp.

entocuneiforme dex. fr.

1

-:268/1g

Phocidae sp.

humerus fr, dist.

1

phalanx prima fr. dist.

1

-:275/29g

Phocidae sp.

radius dex. ff. prox.

1

ulna sin. fr. artic.

1

scaphoideum dex. fr.

1

unciforme sin.

1

phalanx prima carpi fr. dist.

1

phalanx sec. carpi s.e.

1

phalanx ung. carpi fr. prox.

1

-:288/3g

Phocidae sp.

mc \square V dex. fr. prox.

1

mc indet. fr. dist.

1

Castor fiber

-:292/1g

-

humerus dex. ffr. dist.

1

-:299/6g

Phocidae sp.

squamosum sin. fr.

1

astragalus dex. fr.

1

cuboideum sin. fr.

1

-:306/8g

Phocidae sp. \square

cond. occipit. dex. fr.

1

humerus dex. ffr. dist.

1

phalanx prima carpi fr. dist.

1

~~mt III dex. fr. prox.~~ \bar{X} mt II dex. fr. prox.

1

mt II dex. epiph. dist.

1

astragalus dex. fr.

1

-:313/2g

Phocidae sp.

naviculare dex. fr.

1

mt indet. epiph. dist.

1

-:325/4g

Phocidae sp.

humerus sin. fr. prox.

1

-:332/2g

-

-:337/1g

Phocidae sp.

phalanx prima epiph. prox.

1

patella fr.

1

-:347/8g

Phocidae sp.

ulnare dex.

1

phalanx prima carpi s.e.

2

mt III sin. ff. prox.

1

phalanx sec. tarsi fr. prox.

1

20584:353/1g, 362/9g, 358/1g

-

-:368/6g

Phocidae sp.

ulna dex. fr. artic. 1
 mc II sin. s.e. dist. 1
 naviculare sin. fr. 1
 mt indet. fr. epiph. dist. 1

-:372 = 372/6g

Phocidae sp.

ulna sin. fr. prox. 1
 phalanx prima epiph prox. 1
 vertebra thoracalis fr. 1

Castor fiber

-:377/3g

Phocidae sp.

ulna dex. fr. artic. 1

-:381/2g

-

-:385/3g

Phocidae sp.

radius dex, fr, prox. 1

-:392/2g

-

-:400/8g

Phocidae sp.

squamosum sin. fr. 1
 mc I sin. fr. prox. 1
 phalanx sec. carpi 1

-:406/4g

Phocidae sp.

mc II sin. s.e. dist. 1

-:414/1g

Phocidae sp.

mt indet. epiph. dist. 1

-:419/2g, 423/1g

-

-:428/8g

Phocidae sp.

trapezoideum sin. 1
 phalanx prima carpi fr. prox. 2
 phalanx prima carpi fr. dist. 1
 mt indet. epiph. dist. 1
 phalanx sec. tarsi epiph. prox. 1

-:435/1g, 440/3g

-

-:447/1g

Phocidae sp.

phalanx prima tarsi fr. prox. 1

56

-:448/8g

Phocidae sp.

N
 mc II sin. fr. prox. 1
 phalanx prima carpi fr. dist. 1
 phalanx sec. carpi fr. dist. 1

20584:463/8g
Phocidae sp.

radius dex. fr. prox.	1
ulna sin. fr. artic.	1
mt II dex. fr. prox.	1
mt indet. epiph. dist.	1
phalanx prima tarsi fr. dist.	2
phalanx ung. tarsi fr. prox.	1

-:470/1g
-

-:478/15g
Phocidae sp.

mc III sin. fr. prox.	1
phalanx sec. carpi s.e.	1
phalanx sec. carpi fr. prox.	1
cuboideum dex. fr.	1
naviculare sin. fr.	1
mt II sin. fr. prox.	1
mt IV sin. fr. prox.	1

-:485/5g
Phocidae sp.

squamosum dex. ff.	1
ulna sin. ff. artic.	1
phalanx sec carpi s.e.	1
phalanx prima tarsi epiph. prox.	1
phalanx prima tarsi fr. prox.	1
phalanx prima tarsi fr. dist.	1

-:489/10g
Phocidae sp.

entocuneiforme sin. fr.	1
-------------------------	---

-:495/1g, 498/1g
-

-:510/4g
Phocidae sp.

phalanx sec. fr.	1
------------------	---

-:516/12g
Phocidae sp.

M
cf. Martes

mc indet. epiph. dist.	1
femur sin. ff. dist.	1
radius sin. fr. dist.	1

-:522/4g
Phocidae sp.
Castor fiber

mt indet. fr. dist.	1
phalanx sec. carpi s.e.	1

-:530/4g
Phocidae sp.

mt III dex. fr. prox.	1
mt III sin. ff. prox.	1

-:535/3g
Phocidae sp.

phalanx prima tarsi fr. dist.	1
-------------------------------	---

-:542/23g
Phocidae sp.

squamosum dex. fr.	1
mt II sin. fr. prox.	1
phalanx prima tarsi epiph. prox.	XX 2
phalanx sec. carpi	1

Castor fiber

20584:548/8g Phocidae sp.	mt IV sin. fr. prox. mt V sin. fr. dist.	1 1
-:554/27g Phocidae sp.	meatus audit.ext. dex. fr. squamosum sin. fr. mc I sin. epiph. prox. mc II dex. fr. rprox. phalanx sec. carpi fr. dist. cuboideum dex. fr. ectocuneiforme dex. mt III dex. fr. prox. phalanx prima fr. prox.	1 1 1 1 2 1 1 1 1
-:558/3g Phocidae sp.	squamosum sin. fr.	1
-:563/4g Phocidae sp.	phalanx sec. tarsi fr. prox.	1
-:569/6g Phocidae sp.	astragalus dex. fr. entocuneiforme sin.	1 1
-:575/1g -		
-:580/10g Phocidae sp.	squamosum dex. fr. mc I sin. fr. dist. phalanx prima carpi s.e.	1 1 1
-:595/3g, 599/1g, 602/1g -		
-:607/3g Phocidae sp.	mt indet. epiph. dist. phalanx prima tarsi fr. dist.	1 1
-:610/8g Phocidae sp.	mandibula sin. fr. mc II sin. fr. prox. mt I dex. fr. prox.	1 1 1
-:617/1g, 623/7g -		
-:630/9g Phocidae sp.	radius dex. fr. diaph. entocuneiforme sin. fr.	1 1
-:637/1g, 642/1g, 648/1g -		
-:653/3g Phocidae sp.	mc I dex. epiph. prox.	1

20584:660/4g		
Phocidae sp.	naviculare dex. fr.	1
Aves sp.	fr. indet.	1
-:665/8g		
Phocidae sp.	ulna sin. epiph. dist.	1
	mc indet. fr. dist.	1
	mt indet. fr. dist.	2
-:671/20g		
Phocidae sp.	vertebra caudalis	1
	ffemur sin. fr. dist.	1
	cuboideum dex. fr.	1
	phalanx sec. tarsi fr. prox.	1
<u>Perca fluviatilis</u>	vertebra	1
-:676/18g		
Phocidae sp.	trapezoideum dex.	1
	mc indet fr. dist.	1
	phalanx prima carpi s.e.	1
	tibia dex. fr. dist.	1
	phalanx sec. tarsi fr. dist.	1
<u>Perca fluviatilis</u>	vertebra	1
-:681/17g		
Phocidae sp.	radius dex. fr. diaph.	1
	mt indet. ff. dist.	2
	phalanx sec. tarsi	1
-:685/1g		
-		
-:689/106g		
Phocidae sp.	meatus audit. ext. dex. ff.	1
	squamosum dex. fr.	1
	squamosum sin. fr.	1
	mandibula dex. fr.	1
	vertebra caudalis fr.	1
	humerus dex. fr. diaph.	1
	humerus sin. ff. dist.	1
	humerus sin. fr. prox.	2
	humerus dex. fr. prox. dist.	1
	humerus sin. fr. diaph.	1
	radius dex. ffr. diaph.	1
	radius sin. fr. prox.	2
	radius sin. fr. diaph.	1
	ulna dex. fr. prox.	1
	scaphoideum ff.	1
	mc I dex. fr. dist.	1
	mc III dex. fr. prox.	1
	mc III sin. s.e.	1
	mc IV dex. ff. prox.	1
	mc indet epiph. dist. fr.	2
	phalanx prima carpi s.e.	3
	phalanx ung. carpi ff. prox.	1
	acetabulum dex. fr.	1
	astragalus sin. fr.	1
	naviculare sin. fr.	1
	jatk....	

20584:689 jatK....
Phocidae sp. jatK....

mt I sin. ff. prox.	1
mt I sin. fr. dist.	1
mt III sin. fr. prox.	1
phalanx prima tarsi ffr. prox.	3
phalanx sec. tarsi fr. dist.	1
phalanx sec. tarsi s.e.	1
phalanx prima carpi ff.	1
astragalus dex.	1

Castor fiber
Sciurus vulgaris

-:692/14g
Phocidae sp.

capitulum mand. dex. fr.	1
phalanx prima carpi s.e.	1
phalanx sec. carpi epiph. prox.	1
phalanx prima tarsi epiph. prox.	1

-:698/11g
Phocidae sp.

capitulum mand. dex. fr.	1
phalanx sec. carpi s.e.	1
astragalus sin. fr.	1

-:703/2g, 707/2g, 712/2g, 715/1g
-

-:722/4g
Phocidae sp.

squamosum sin. fr.	1
phalanx carpi sec. s.e.	1
mt indet. fr. dist.	1

-:726/2g
-

-:730/5g
Phocidae sp.

squamosum dex. fr.	1
mt indet. fr. dist.	1

-:735/2g
Phocidae sp.

atlas fr.	1
-----------	---

-:742/4g
Phocidae sp.

entocuneiforme dex. ff.	1
mt II sin. fr. prox.	1

-:747/17g
Phocidae sp.

humerus dex. fr. dist,	1
phalanx prima carpi s.e.	1
mt I sin. epiph. prox.	1

-:760/9g
Phocidae sp.

bulla auditorius dex. fr.	1
atlas ff.	1
ulna sin. epiph. dist.	1
phalanx sec. carpi fr. dist.	1
maxillare ff.	1

Esox lucius

20584:768/7g Phocidae sp.	bulla auditorius sin. fr. 1 radius dex. fr. diaph. 1 mc II sin. fr. dist. 1 mc indet. fr. dist. 1
-:774/9g Phocidae sp.	squamosum dex. fr. 1 mc I dex. fr. prox. 1 phalanx prima tarsi ff. dist. 1 phalanx ung. tarsi ff. prox. 1
-:781/3g -	
-:785/1g Phocidae sp.	tarsi fr. dist. phalanx prima XXXXXXXXXX 1
-:791/1g Phocidae sp.	phalanx prima carpi fr. prox. 1
-:800/3g, 808/1g -	
-:813/6g Phocidae sp.	mt IV dex. fr. prox. 1
-:819/1g Phocidae sp.	cond. occipit. dex. fr. 1 lunare sin. fr. 1
-:823/2g Phocidae sp.	radius sin. fr. diaph. 1
-:829/4g XXXXXXXXXXXX Phocidae sp.	† mc V sin. fr. prox. 1 phalanx ung. carpi ff. prox. 1 phalanx prima tarsi epiph. prox. 1 phalanx sec. tarsi fr. dist. 1
-:834/19g Phocidae sp.	capitulum mand. dex. 1 ulna dex. ff. prox. 1 ulna dex. ffr. artic. 1 mc indet. fr. dist. 1 phalanx sec. carpi s.e. 1 phalanx ung. carpi ff. prox. 1 naviculare dex. ffr. 1 entocuneiforme dex. fr. 2 mt indet. fr. dist. 2 phalanx prima tarsi fr. prox. 1
-:839/1g, 845/1g -	
-:850/13g Phocidae sp.	humerus dex. fr. diaph. 1 ulna sin. epiph. dist. 1 mt II sin. fr. prox. 1

20584:857/25g
Phocidae sp.

humerus dex. ff. dist.	1
phalanx prima carpi s.e.	1
mt V sin. fr. dist.	1
phalanx prima tarsi fr. dist.	2
phalanx ung. tarsi fr. prox.	2

-:861/1g

-:866/13g
Phocidae sp.

radius dex. fr. prox.	1
radius sin. fr. prox.	1
unciforme sin.	1
mc I sin. epiph. prox.	1
phalanx prima carpi s.e.	1
phalanx sec. carpi s.e.	1
ffmur sin. ff. dist.	1
patella ff.	1
phalanx prima carpi ff. prox.	1

Castor fiber

-:872/15g
Phocidae sp.

mc V sin. s.e.	1
phalanx prima carpi epiph. prox.	1
phalanx sec. carpi fr. dist.	1
patella ff.	1
phalanx prima tarsi fr. prox.	1

-:881/9g
Phocidae sp.

scaphoideum sin. fr.	1
mc indet. fr. dist.	1

-:890/3g
Castor fiber

ulna dex. fr. artic.	1
----------------------	---

-:895/2g

-

903/8g
Phocidae sp.

phalanx sec. carpi fr. s.e.	1
phalanx sec. carpi fr. prox.	1
phalanx sec. carpi fr. dist.	1
mt I sin. fr. dist.	1
mt indet. epiph. dist.	1
phalanx sec. tarsi fr. dist.	1

-:907/9g
Phocidae sp.

caput humeri fr.	1
astragalus dex, fr.	1
entOcuneiforme sin.fr.	1
phalanx ung. tarsi fr. prox.	1

-:911/1g

-

-:917/5g
Phocidae sp.

squamosum dex. fr.	1
meatus audit. ext. dex.	1
naviculare sin.	1

20584:925/36g

Phocidae sp.

capitulum mand. dex. fr.	1
humerus dex. fr. dist.	1
humerus sin. fr. dist.	2=2
mc indet. epiph. dist.	1
phalanx prima carpi fr. prox.	1
phalanx ung. carpi	2
calcaneum sin. fr.	1
mt II dex. fr. prox.	1
mt V dex. fr. prox.	1
mt indet. fr. dist.	1
phalanx prima tarsi fr. dist.	2
phalanx sec. tarsi fr. dist.	1
pisiforme dex.	1

Castor fiber~~XXXXXX/12g~~

F

-:933/12g

Phocidae sp.

mc indet. fr. dist.	1
mt V sin. epiph. dist.	1
phalanx prima tarsi fr. dist.	1

-:938/1g

-

-:943/33g

Phocidae sp.

mc II dex. fr. prox.	1
phalanx prima carpi	1
phalanx sec. carpi fr. dist.	1
phalanx ung. carpi fr. dist.	1
patella fr.	1
calcaneum dex. fr.	1
calcaneum sin. fr.	1
naviculare sin. fr.	1
cuboideum sin. fr.	1
phalanx prima tarsi fr. prox.	1
phalanx prima tarsi fr. dist.	2
phalanx sec. tarsi fr. prox.	1
phalanx sec. tarsi fr. dist.	1
mt IV dex. fr. prox.	1
vertebra s.e.	1

Carnivora Fissipedia sp.

Castor fiber

-:950/7g

Phocidae sp.

humerus dex. fr. dist.	1
ulna sin. fr. prox.	1

-:956/5g

Phocidae sp.

c8boideum dex. fr.	1
mt I sin. epiph. prox. fr.	1

-:962/2g

Phocidae sp.

cf. Vulpes

phalanx sec. xxxx carpi	1
tibia dex. fr. dist.	1

-:~~962/2g~~ 971/4g

Phocidae sp.

phalanx prima carpi s.e.	1
mt V sin. fr. prox.	1
phalanx prima tarsi epiph. prox.	2
phalanx ung. tarsi fr.	1

20584:979/3g
Castor fiber

astragalus dex. ffr. 1

--:984/1g

-

--:990/9g
 Phocidae sp.

ulna sin. fr. prox. 1
 radius dx. & epiph. dist. 1
 fibula dex. epiph. dist. 1
 cuboideum dex. 1

--:996/34g
Castor fiber
 Phocidae sp.

vertebra caudalis fr. 1
 bulla auditorius fr. 1
 epistropheus fr. 1
 humerus dex. fr. prox. 1
 humerus sin. fr. dist. 1
 mc indet epiph. dist. 2
 phalanx xung. carpi 1
 caput femoris fr. 1
 femur dex. fr. dist. 1
 fibula sin. fr. dist. 1
 astragalus dex. fr. 1
 mt IV sin. fr. prox. 2
 phalanx prima tarsi epiph. prox. 1
 phalanx prima tarsi fr. dist. 1
 phalanx sec. tarsi fr. dist. 1

--:1002/12g
 Phocidae sp.

humerus fr. dist. 1
 radius ~~sp~~ dex. epiph. dist. 1
 tibia dex. epiph. dist. fr. 1
 mt II sin. fr. prox. 1
 mt indet. epiph. dist. 1
 phalanx sec. tarsi fr. dist. 1

--:1009/8g
 Phocidae sp.

bulla auditorius dex. fr. 1
 ulna sin. fr. prox. 1
 phalanx prima tarsi fr. prox. 1

--:1015/3g

-

--:1020/5g
 Phocidae sp.

patella fr. 1
 mt I sin. ff. dist. 1

--:1029/4g
 Phocidae sp.

bulla auditorius fr. 1
 mt II sin. fr. prox. 1

--:1034/13g
 Phocidae sp.

humerus sin. fr. dist. 1
 phalanx ungu. carpi 1
 mt II dex. fr. ~~ff~~ prox. 1
 mt II sin. fr. prox. 1
 mt IV sin. fr. prox. 1

20584:1041/20g
Phocidae sp.

radius sin. fr. prox. s.e.	1
phalanx prima carpi	1
phalanx ung. carpi	1
entocuneiforme dex. fr.	1
mt IV sin. ff. prox.	1
phalanx prima tarsi fr. dist.	1
coracoideum sin. fr.	1
dentale fr.	1
vertebra ff.	1

Aves sp.
Esox lucius
Teleostei sp.

-:1053/1g
Phocidae sp.

trapezoideum dex. fr.	1
-----------------------	---

-:1059/6g
Phocidae sp.

XXXXXXXXXX	XXXXXXXXXX
squamosum sin. fr.	1
humerus dex. fr. dist.	1
metapodium indet. ffr. dist.	1

cf. Alces

-:1066/16g
Phocidae sp.

squamosum dex. fr.	1
scaphoideum sin. fr.	1
magnum sin. fr.	1
trapezoideum sin.	1
mc indet fr. dist.	1
phalanx prima tarsi fr. dist.	1
mt II sin. fr. prox.	1
phalanx prima tarsi epiph. prox.	1

-:1072/9g
Phocidae sp.

cuboideum dex.	1
----------------	---

-:1079/2g
-

-:1084/7g
Phocidae sp.

mc III sin. fr. prox.	1
-----------------------	---

-:1091/3g
Phocidae sp.

meatus auditorius ext. dex. fr.	1
patella fr.	1

-:1095/1g
Phocidae sp.

phalanx prima carpi fr. prox.	1
entocuneiforme sin.	1
tibia sin. fr. dist.	1

cf. Martes

-:1101/63g
Phocidae sp.

meatus audit. ext. dex. fr.	3
bulla audit. dex. fr.	1
squamosum sin. fr.	1
radius sin. ff. rprox.	2
ulna sin. epiph. dist.	1
mc indet. epiph. dist.	1
phalanx prima carpi fr. dist.	3
jatk....	

20584:1101 jatk....
Phocidae sp. jatk....

femur dex. fr. dist. 1
cuboideum dex. fr. 1
m^y I sin. epiph. dist. 1
mt II sin. epiph. dist. 1
mt III/IV epiph. dist. 1
mt V sin. epiph. dist. 1
phalanx prima tarsi epiph. prox. 1
phalanx prima tarsi fr. dist. 1
phalanx sec. tarsi fr. dist. 1
phalanx ung. tarsi epiph. prox. 1
vomer ff. 1

Esox lucius

--:1106/3g
Phocidae sp.

squamosum sin. fr. 1
~~mt~~ ectocuneiforme sin. fr. 1

--:1112/16g
Phocidae sp.

mandibula fr. 1
trapezoideum sin. fr. 1
phalanx sec. tarsi fr. prox. 1
phalanx prima tarsi fr. prox. 1
phalanx prima ff. dist. 1

Ursus sp.

~~XXXXXX~~

--:1117/6g
Phocidae sp.

ulna sin. fr. artic. 1
naviculare sin. fr. 1

--:1122/3g
Phocidae sp.

radius sin. fr. prox. 1
ulna dex. fr. artic. 1

--:1126/9g
Phocidae sp.

phalanx sec. carpi 1
ectocuneiforme dex. fr. 1
phalanx sec. tarsi fr. prox. 1
phalanx ung. tarsi (juv.) 1

--:1132/19g
Phocidae sp.

capitulum mandibulae sin. 1
humerus sin. fr. dist. 1
ulna dex. fr. artic. 1
magnum dex. ff. 1
trapezoideum dex. 1
phalanx prima carpi s.e. 1
mt II dex. fr. prox. 1
phalanx prima tarsi fr. dist. 1
phalanx prima carpi fr. prox. 1

Castor fiber

--:1137/6g
Phocidae sp.

meatus audit ext. dex. 1
phalanx prima carpi fr. prox. 1
phalanx sec. tarsi ff. prox. 1

--:1148/3g
Perca/Lucioperca

vertebra 1

20584:1153/2g, 1156/2g

-

-:1163/3g

Phocidae sp.

ulna dex. fr. artic.

1

phalanx prima fr. dist.

1

-:1168/1g

-

-:1173/1g

Phocidae sp.

femur sin. fr. dist.

1

-:1179/2g, 1184/2g

-

-:1193/6g

Phocidae sp.

squamosum dex. fr.

2

astragalus sin. ff.

1

-:1198/3g, 1201/1g, 1207/1g

-

-:1213/3g

Phocidae sp.

squamosum dex. fr.

1

mc II sin. fr. prox.

1

Lepus sp.

astragalus sin. fr.

1

-:1218/1g

Castor fiber

humerus sin. fr. dist.

1

-:1222/4g

Phocidae sp.

vertebra caudalis

1

radius fr. prox.

1

calcaneum sin. fr.

1

-:1228/2g

Lepus sp.

astragalus dex. fr.

1

-:1233/5g

Phocidae sp.

bulla auditorius dex. fr.

1

mt IV dex. fr. prox.

1

-:1238/6g

Phocidae sp.

mc III dex. fr. rpox.

1

mt IV sin. fr. prox.

1

iphalanx prima tarsi fr. rpox.

1

phalanx sec. tarsi fr. dist.

1

-:1243/3g

Phocidae sp.

lunare dex. fr.

1

mc IV sin. fr. prox.

1

phalanx sec. carpi s.e.

1

phalanx sec. carpi fr. dist.

1

calcaneum sin. fr.

1

mt V dex. epiph. dist.

1

phalanx sec. tarsi fr. dist.

1

-:1247/2g

-

20584:1252/2g Phocidae sp.	squamosum dex. fr.	1
-:1256/2g Phocidae sp.	femur sin. fr. dist.	1
-:1260/1g, 1265/1g -		
-:1269/3g Phocidae sp.	tibia dex. fr. dist.	1
-:1247/1g Phocidae sp.	radius sin. fr. prox. phalanx sec. carpi ff. prox.	1 1
-:X1280/3g -		
-:1283/1g Phocidae sp.	squamosum sin.	1
±:1289/2g Phocidae sp.	squamosum sin.	1
-:1291/7g Phocidae sp. <u>Castor fiber</u> Cyprinidae sp.	naviculare sin. fr. fr. cranii fr. indet.	1 1 1
-:1296/1g -		
-:1302/3g Phocidae sp.	lunare dex. fr. mc V sin. ff. prox. phalanx prima tarsi ff. prox.	1 1 1
-:1307/1g, 1311/1g -		
-:1317/8g Phocidae sp.	meatus audit. ext. dex. atlas fr. radius fr. s.e. prox. patella fr.	1 1 1 1
-:1324/1g, 1326/1g -		
-:1330/1g Phocidae sp.	phalanx sec. fr. dist.	1
-:1334/3g Phocidae sp.	radius dex. fr. prox. phalanx sec. carpi fr. prox.	1 1

20584:1341/1g Phocidae sp.	mt II sin. fr. dist.	1
-:1338/1g -		
-: 1344 1346/5g Phocidae sp.	radius sin. fr. prox s.e. phalanx sec. carpi ff. dist.	1 1
-:1351/4g Phocidae sp.	phalanx sec. carpi phalanx prima tarsi epiph. prox.	1 1
<u>Castor fiber</u>	radius sin. fr. rpox.	1
-:1360/6g Phocidae sp.	capitulum mand. sin. phalanx prima tarsi fr. dist.	1 1
-:1365/5g Phocidae sp. <u>Castor fiber</u>	phalanx ürima tarsi fr. dist. astragalus sin. fr.	1 1
-:1368/1g, 1370/1g -		
-:1376/4g Phocidae sp.	scaphoideum dex. fr.	1
-:1381/18g Phocidae sp.	ulna dex. fr. artic. scaphoideum sin. fr. mc I dex. epiph. dist. astragalus dex. fr. tibiz dex. epiph. dist. fr.	1 1 1 1 1
-:1388#3g Phocidae sp.	humerus sin. fr. dist. phalanx prima tarsi epiph. prox.	1 1
-:1394/1g -		
-:1397/6g Phocidae sp.	tibia sin. epiph. dist. frp	1
-:1404/4g Phocidae sp.	radius dex. fr. prox.	1
-:1407/1g, 1416/1g, 1421/1g -		
-:1423/1g Phocidae sp.	phalanx prima tarsi ff. dist.	1
-:1429/2g Phocidae sp.	phalanx sec. carpi fr. prox.	1

20584:1444/35g
Phocidae sp.

squamosum dex. fr.	1
capitulum mand. dex.	1
vertebra caudalis fr.	1
humerus dex. fr. dist.	1
radius dex. fr. prox.	1
trapezium dex. fr.	1
mt III sin. s.e. dist.	1
patella fr.	1
ectocuneiforme sin. ff.	1
mt II sin. fr. prox.	1
mt II dex. epiph. dist.	1
mt II s9n. fr. prox.	1
phalanx prima tarsi fr. rpox.	1
phalanx sec. tarsi fr. dist.	1
phalanx ung. tarsi fr.	1

-:1454/10g
Phocidae sp.

ulna dex. ff. artic.	1
phalanx sec. carpi fr. rpox.	1
calcaneum sin. fr.	1
mt indet. epiph. dist.	1

-:1458/1g, 1463/1g
 -

-:1469/9g
Phocidae sp.

phalanx sec. carpi epiph. prox.	1
phalanx ung. carpi	1
phalanx sec. tarsi fr. prox.	1

-:1474/6g
Phocidae sp.

mc II dex. fr. rpox.	1
phalanx prima carpi fr. dist.	1
tibia dex. epiph. prox.	1

-:1488/6g
Phocidae sp.

ulna dex. fr. artic.	1
----------------------	---

-:1493/4g
Phocidae sp.

asragalus dex. fr.	1
--------------------	---

-:1498/10g
Phocidae sp.

bulla auditorius sin.	1
phalanx prima carpi fr. prox.	1
fibula sin. epiph. dist. fr.	1
mt V dex. fr. prox.	1
phalanx prima tarsi fr. dist.	1

-:1505/20g
Phocidae sp.

humerus sin. fr. dist.	1
scaphoideum sin. fr.	1
mc indet. ff. dist.	1
phalanx prima carpi s.e.	1
phalanx ung. carpi fr. xxx prox.	1
mt V dex. fr. xxxx prox.	1

20584:1510/8g Phocidae sp.	phalanx prima carpi s.e.	1
	phalanx prima carpi fr. dist.	1
	phalanx sec. carpi	1
	entocuneiforme sin. fr.	1
	mt V sin. fr. prox.	1
-:1517/7g Phocidae sp.	bulla auditorius dex. fr.	2
	femur dex. fr. dist.	1
-:1521/1g Phocidae sp.	scaphoideum dex. fr.	1
	phalanx prima tarsi fr, prox.	1
-:1526/2g Phocidae sp.	mc II dex. fr. rpox.	1
-:1530/2g -		
-:1535/23g Phocidae sp.	bulla auditorius sin. fr.	1
	squamosum dex .fr.	1
	squamosum sin. fr.	1
	humerus sin. fr. dist.	1
	radius sin. fr. prox.	1
	scaphoideum dex.	1
	phalanx prima carpi fr. dist.	1
	phalanx sec. carpi fr. prox.	1
	mt V dex. epiph. dist.	1
	phalanx prima tarsi epiph. prox.	1
-:1540/2g Phocidae sp.	mt V sin. fr. prox.	1
-:1547/68g Phocidae sp.	capitulum mand. dex.	1
	humerus dex. fr. dist.	1
	caput humeri fr.	1
	vertebra caudalis fr.	1
	scaphoideum dex. fr.	1
	mc V dex. fr. prox.	1
	phalanx prima carpi s.e.	1
	phalanx prima carpi fr. dist.	1
	phalanx ung. carpi	2=2
	ectocuneiforme sin.	1
	entocuneiforme sin.	1
	mt II sin. fr. prox.	2=2
	phalanx prima tarsi epiph. prox.	1
	phalanx prima tarsi s.e.	1
	phalanx prima tarsi fr. dist.	2=2
	humerus dex. fr. dist.	1
	ulna dex. fr. prox.	1
<u>Lepus</u> sp.		
<u>Castor fiber</u>		
-:1552/1g Phocidae sp.	phalanx prima tarsi fr. dist.	1

20584:1566/7g			
Phocidae sp.	humerus sin. fr. dist.		1
	phalanx prima carpi fr. dist.		2=2
<u>Castor fiber</u>	naviculare dex. fr.		1
-:1573/7g			
Phocidae sp.	bulla auditorius sin. fr.		1
	ulna sin. fr. prox.		1
	mt IV dex. fr. prox.		1
	phalanx sec. tarsi fr. dist.		1
-:1581/5g			
Phocidae sp.	mt V dex. epiph. dist.		1
-:1587/1g			
Phocidae sp.	humerus dex. fr. dist.		1
-:1605/8g			
Phocidae sp.	humerus sin. fr. prox.		1
	astragalus sin. fr.		1
	phalanx prima epiph. prox.		1
-:1611/4g			
-			
-:1659/9g			
Phocidae sp.	meatus audit. ext. dex. fr.		1
	scaphoideum fr.		1
<u>Lepus</u> sp.	phalanx ung.		1
-:1625/1g			
Phocidae sp.	radius sin. fr. prox.		1
-:1630/2g			
Phocidae sp.ä	humerus sin. fr. diaph.		1
-:1637/1g			
-			
-:1651/10g			
Phocidae sp.	radius sin. fr. prox.		1
-:1662/7g			
Phocidae sp.	tibia dex. fr. prox.		1
	bulla audit. sin. ff.		2
-:1667/1g			
-			
-:1679/15g			
Phocidae sp.	scaphoideum sin. fr.		1
	phalanx prima carpi s.e.		1
	phalanx prima carpi fr. dist.		1
	phalanx sec. ff. dist.		1

20584:1686/14g		
Phocidae sp.	cuboideum sin. fr.	1
	phalanx prima tarsi fr. dist.	1
<u>Perca/Lucioperca</u>	vertebra	1
-:1689/1g		
Phocidae sp.	mc II dex. fr. prox.	1
-:1693/1g		
-		
-:1697/1g		
Phocidae sp.	phalanx ung. carpi	1
	phalanx prima tarsi fr. dist.	1
-:1704/1g		
-		
-:1710/18g		
Phocidae sp.	humerus sin. fr. diaph.	1
	tibia dex. epiph. dist. fr.	1
	astragalus dex. fr.	1
	phalanx prima tarsi fr. prox.	1
	phalanx prima tarsi fr. dist.	1
	phalanx prima fr. dist.	1
	vomer fr.	1
cf. <u>Alces</u>		
<u>Esox lucius</u>		
-:1717/5g		
Phocidae sp.	phalanx prima tarsi fr. dist.	1
-:1724/3g		
Phocidae sp.	mt II dex. fr. prox.	1
-:1727/1g, 1731/1g		
-		
-:1737/2g		
Phocidae sp.	humerus dex. fr. dist.	1
-:1744/2g		
-		
-:1748/3g		
Phocidae sp.	naviculare sin.	1
-:1751/1g		
-		
-:1754/2g		
Phocidae sp.	mc indet. fr. dist.	1
	phalanx prima tarsi fr. dist.	1
-:1761/11g		
Phocidae sp.	squamosum dex. fr.	1
	mc II sin. fr. prox.	1
	phalanx prima carpi	1
	phalanx prima carpi s.e.	1
	phalanx sec. carpi s.e.	1
	mt indet. fr. dist.	1
	phalanx prima epiph. prox.	1

20584:1764/1g, 1773/1g, 1780/1g, 1784/1g

-

-:1787/6g

Phocidae sp.

mc II dex. fr. prox.

1

cuboideum sin. fr.

1

mt IV dex. fr. prox.

1

-:1791/1g, 1794/1g, 1798/1g

-

-:1804/2g

Phocidae sp.

patella

1

-:1808/1g, 1810/1g, 1814/1g, 1817/1g, 1821/3g

-

-:1825/5g

Phocidae sp.

atlas fr.

1 ~~xxxxxxx~~

mc indet. epiph. dist.

1

Aves sp.

phalanx fr. dist.

1

Esox lucius

dentale fr.

1

-:1829/7g

Phocidae sp.

mc II dex. fr. prox.

1

naviculare dex. fr.

1

-:1832/7g

Phocidae sp.

bulla auditorius dex. fr.

1

mc I~~a~~ dex. fr. prox.

1

cf. Alces

metapodium indet. fr. dist.

1

-:1835/3g

Phocidae sp.

mt I sin. fr. dist.

1

mt II sin. fr. prox.

1

phalanx prima tarsi fr. dist.

1

-:1840/4g

Phocidae sp.

phalanx sec. carpi.

1

tibia sin. epiph. prox. fr.

1

entocuneiforme dex. fr.

1

mt II dex. fr. ~~xm~~. dist.

1

-:1846/1g

-

-:1850/2g

Phocidae sp.

mt V dex. fr. prox.

1

-:1855/9g

Phocidae sp.

mc I dex. fr. dist.

1

phalanx ung. cappi fr. prox.

1

entocuneiforme sin. fr.

1

mt indet. fr. dist.

1

Lepus sp.

astragalus dex. fr.

1

20584:1861/6g			
Phocidae sp.	meatus audit. ext. sin. fr.		1
	mc II s.e. dist.		1
	phalanx ung. carpi fr. prox.		1
	ectocuneiforme sin.		1
	phalanx sec. tarsi fr. dist.		1
-:1871/1g, 1875/1g,			
-			
-:1879/2g			
Phocidae sp.	femur dex. fr. dist.		1
-:1885/2g			
-			
-:1888/3g			
Phocidae sp.	radius sin. fr. diaph. prox.		1
	mc II dex. fr. prox.		1
-:1895/3g			
-			
-:1900/1g			
Phocidae sp.	squamosum dex. fr.		1
-:1906/7g			
Phocidae sp.	capitulum mand. dex.		1
	radius dex. epiph. prox.		1
	mt III dex. fr. rprox.		1
-:1909/1g			
-			
±:1913/7g			
Phocidae sp.	bulla audit. fr.		1
	mandibula dex. fr.		1
	trapezium dex. fr.		1
	femur dex. fr. dist.		1
-:1918/2g			
-			
-: XXXX 1921/3g			
Phocidae sp.	mt II dex. fr. prox.		1
cf. <u>Alces</u>	os sesamoideus fr.		1
-:1926/1g			
-			
-:1929/6g			
Phocidae sp.	mt I sin. fr. prox.		1
-:1943/1g, 1948/2g, 1950/1g, 1953/1g			
-			

20584:1958/10g Phocidae sp.	phalanx ung. carpi epiph. prox. tibia dex. fr. rprox. mt I dex. epiph. prox. fr.	1 1 1
-:1961/2g Phocidae sp.	capitulum mand. dex. fr.	1
-:1964/2g, 1967/1g, 1972/1g, 1976/1g -		
-:1988/4g Phocidae sp.	ulna dex. fr. artic. phalanx sec. tarsi fr. dist.	1 1
-:2004/1g, 2009/1g -		
-:2011/1g Phocidae sp.	phalanx sec. tarsi fr. dist.	1
-:2015/1g <u>Esox lucius</u>	quadratum fr. dentale fr.	1 1
-:2019/2g Phocidae sp.	squamosum dex. fr.	1
-:2022/3g Phocidae sp.	radius sin. fr. diaph. phalanx sec. tarsi epiph. prox.	1 1
-:2026/1g -		
-:2030/3g Phocidae sp.	calcaneum dex. fr.	1
-:2034/1g, 2040/1g, 1045/1g -		
-:2052/-(1g?) Phocidae sp.	mt V sin. fr. prox.	1
-:2054/1g -		
-:1058/4g Phocidae sp.	astragalus sin. fr. mt II sin. fr. rprox.	1 1
-:2062/1g -		
-:2066/1g Phocidae sp.	capitulum mand. dex. fr. mt II dex. fr. rprox.	1 1

20584:2070/1g, 1074/1g, 1079/1g, 2082/1g, 2084/1g

-

-:2092/2g

Phocidae sp.

x patella fr.

1

tibia dex. fr. epiph. prox.

1

-:2097/3g

Phocidae sp.

phalamx prima tarsi fr. dist.

1

-:2100/1g, 2103/1g

-

-:2106/4g

Phocidae sp.

mt I sin. fr. dist.

1

mt V dex. fr. dist.

1

-:2113/1g

-

-:2117/4g

Phocidae sp.

squamosum sin. fr.

1

mc I dex. fr. dist.

1

-:2122/1g, 2124/2g

-

-:2129/3g

Phocidae sp.

2 squamosum sin. fr.

1

-:2132/1g, 2136/1g

-

-:2140/1g

Phocidae sp.

acetabulum dex. fr.

1

-:2144/1g, 2147/1g

-

-:2155/8g

Phocidae sp.

humerus dex. fr. diaph.

1

radius dex. fr. diaph.

1

mt II sin. fr. prox.

1

fr. cranii indet.

1

Castor fiberEsox lucius

vertebra fr.

1

-:2167/1g, 2171/1g, 2172/1g

-

-:2175/1g

Phocidae sp.

mc indet. epiph. dist.

1

-:2178/3g

Alces alces

mc access. fr. dist.

1

-:2181/1g

Phocidae sp.

capitulum mand. sin. fr.

1

20584:2186/2g, 2192/1g, 2200/2g, 2256/1g			
-			
-:2278/3g			
Phocidae sp.	cuboideum sin.		1
-:2297/1g			
-			
-:2337/1g			
Phocidae sp.	phalanx prima carpi fr. dist.		1
-:2354/1g			
Phocidae sp.	phalanx ung. carpi rix s.e.		1
-:2359/1g, 2367/1g, 2399/1g, 2404/1g			
-			
-:2430/2g			
Phocidae sp.	mt I dex. fr. dist.		1
-:2436/3g			
Phocidae sp.	phalanx prima tarsi fr. prox.		1
-:2446/2g			
Phocidae sp.	phalanx prima fr. prox.		1
-:2450/4g			
Phocidae sp.	mc I dex. fr. dist.		1
	phalanx sec. carpi epiph. prox.		1
-:2461/1g			
Phocidae sp.	phalanx prima carpi fr. dist.		1
-:2465/1g			
-			
-:2483/3g			
Phocidae sp.	meatus audit ext. sin.		1
	naviculare sin.		1
-:2486/1g, 2493/1g, 2500/1g			
-			
-:2505/2g			
Phocidae sp.	radius sin. fr. prox.		1
-:2513/2g			
Phocidae sp. si	fibula dex. epiph. dist.		1
-:2549/2g			
cf. <u>Alces</u>	os sesamoideus fr.		1
-:2551/ 2 g, 2560/2g, 2571/1g, 2574/1g, 2580/7g, 2586/1g			
-			

20584:2597/7g Phocidae sp.	calcaneum sin.	1
-:2607/-g, 2621/-g -ii		
-:2628/2g Phocidae sp.	cuboideum sin. fr.	1
-:2652/1g, 2678/1g -		
-:2687/3g Phocidae sp.	mc III sin. fr. prox.	1
-:2699/1g -		
-:2723/1g Phocidae sp.	radius sin. fr. diaph. prox.	1
-:2766/1g Phocidae sp.	phalanx prima carpi fr. prox.	1
-:2789/1g, 2816/1g, 2824/1g -		
-:2860/1g Phocidae sp.	astragalus dex. fr.	1
-:2868/2g -		
-:2911/2g Phocidae sp.	ectocuneiforme sin.	1
-:2921/2g, 2926/1g -		
-:2934/11g Phocidae sp.	cond. occipit. sin.	1
	radius dex. epiph. dist.	1
	trapezoideum dex.	1
	phalanx ung. carpi ff. prox.	1
	phalanx prima tarsi fr. dist.	1
<u>Lepus sp.</u> -:2939/1g -	vertebra thoracalis fr.	1
-:2961/9g Phocidae sp.	cuboideum dex. fr.	1
	cuboideum sin. fr.	1
	mt II sin. fr. prox.	1
	phalanx sec. tarsi fr. dist.	1
-:2974/1g, 2980/1g -ii		

20584:2992/2g Phocidae sp.	vertebra caudalis fr.	1
-:2996/2g Phocidae sp.	mt indet. fr. dist.	1
-:3001/3g Phocidae sp.	squamosum sin. fr. humerus dex. ff. prox.	1 1
-:3014/1g, 3020/1g, 3026/9g, 3030/1g -		
-:3037/23g Phocidae sp.	meatus audit. ext. sin. fr. humerus sin. fr. dist. radius sin. epiph. dist. fr. mc I dex. fr. dist. naviculare sin. ffr. mt II dex. fr. prox.	1 1 1 1 1 1
-:3056/1+2g luu & kiviä		
-:3064/1g -		
-:3069/2g Phocidae sp.	mt I sin. fr. dist.	1
-:3074/1g, 3083/1g -		
-:3088/4g Phocidae sp. cf. <u>Alces</u>	radius sin. fr. prox. phalanx prima fr. dist.	1 1
-:3091/3g Phocidae sp.	radius sin. fr. prox. phalanx sec. carpi s.e.	1 1
-:3096/1g -		
-:3100/2g cf. <u>Castor</u>	patella fr.	1
-:3105/1g -		
-:3118/18g Phocidae sp.	radius dex. epiph. dist. fr. cuboideum dex. fr. phalanx prima tarsi fr. rprox.	1 1 1

20584:3129/37g
Phocidae sp.

capitulum mand. sin.	1
mandibula sin. fr.	1
radius sin. fr., dist.	1
mc III sin. fr. prox.	1
phalanx sec. carpi fr.	1
tibia dex. epiph. dist. fr.	1
cuboideum dex.	1
mt I sin. fr. dist.	1
mt III sin. fr. prox.	1
mt V sin. fr. prox.	1
mt indet. fr. dist.	1
phalanx prima tarsi epiph. prox.	1
phalanx sec. tarsi epiph. prox.	1
phalanx sec. tarsi fr. rpox.	1
phalanx sec. tarsi fr. dist.	1
astragalus sin.	1

Lepus sp.

-:3139/28g
Phocidae sp.

ectocuneiforme dex.	1
mt indet epiph. dist.	1
phalanx prima tarsi fr. prox.	X2
vertebra fr.	1

Teleosteix sp.

-:3142/1g
Phocidae sp.

phalanx sec. tarsi fr. prox.	1
------------------------------	---

-:3150/35g
Phocidae sp.

squamosum sin. fr.	1
trapezoideum sin. m	1
mc I sin. fr. dist.	1
phalanx prima carpi s.e.	1
naviculare sin. fr.	1
phalanx prima tarsi epiph. prox.	1

-:3152/7g
Phocidae sp. m

phalanx prima tarsi	1
---------------------	---

-:3155/6g
Phocidae sp.

ulna dex. fr. artic.	1
naviculare sin.	1

-:3164/1g
-

-:3170/24g
Phocidae sp.

magnum dex.	1
mc II sin. fr. rpox.	1
mc indet. epiph. dist.	1
acetabulum sin. fr.	1
ectocuneiforme sin. fr.	1
mt V dex. fr. dist.	1
fr. cranii indet.	1
phalanx sec. fr. prox.	1

Castor fiber
cf. Alces

20584:3174/2g Phocidae sp.	phalanx prima epiph. prox.	1
-:3176/1g -		
-:3181/1g Phocidae sp.	mandibula dex. fr. radius dex. epiph. dist.	1 1
-:3185/11g Phocidae sp.	meatus audit. sin. fr. (ext.) tibia dex. fr. prox.	1 1
-:3193/1g -		
-:3198/4g Phocidae sp.	vertebra caudalis mt III dex. fr. prox.	1 1
-:3203/4g -		
-:3209/3g Phocidae sp.	humerus dex. caput fr. phalanx prima tarsi fr. prox.	1 1
-:3215/1g Phocidae sp.	squamosum sin. fr.	1
-:3220/4g Phocidae sp.	phalanx ultima carpi s.e.	1
-:3225/4g, 3229/1g -		
-:3234/21g Phocidae sp.	vertebra caudalis fr. humerus sin fr. dist. ulna sin. fr. artic. mc I sin. fr. prox. patella fr. mt indet. fr. dist.	1 1 1 1 1 1
-:3241/2g Phocidae sp.	caput femoris fr.	1
-:324x5/1g -		
-:3264/3g Phocidae sp.	phalanx ung tarsi fr. prox.	1
-:3275/1g -		
-:3298/2g Phocidae sp.	calcaneum s9n. fr.	1

20584:3301/1g			
Phocidae sp.	mt V fr. prox.		1
-:3334/1g, 3339/1g, 3346/3g			
-			
-:3349/3g			
Phocidae sp.	humerus dex. fr. dist.		1
-:3364/1g			
Phocidae sp.	phalanx sec. carpi fr. prox.		1
-:3369/1g			
-			
-:3379/3g			
Phocidae sp.	astragalus dex. fr.		1
-:3394/1g, 3407/2g			
-			
-:3419/3g			
Phocidae sp.	scaphoideum sin. fr.		1
-:3424/1g			
-			
-:3439/4g			
Phocidae sp.	phalanx sec. tarsi fr. dist.		1
-:3450/1g			
-			
-:3463/3g			
Phocidae sp.	mt III dex. fr. prox.		1
-:3470/2g, 3475/1g, 3502/5g			
-			
-:3509/1g			
Mustelidae sp. (cf. <u>Lutra?</u>)	radius sin. fr. dist.		1
-:3540/1g			
-			
-:3551/1g			
Phocidae sp.	tibia dex. fr. dist.		1
-:3582/2g			
Phocidae sp.	mt I sin. fr. prox.		1
-:3598/4g			
-			
-:3614/12g			
Phocidae sp.	humerus dex. fr. dist.		1
	radius dex. fr. dist.		1
	calcaneum dex.		1
	phalanx prima tarsi fr. dist.		1

20584:3624/8g

-

-:3635/31g
Phocidae sp.

capitulum mand. sin. fr.	1
scaphoideum sin. fr.	1
phalanx ung. carpi fr. prox.	X3
tibia dex. fr. prox.	1
astragalus sin. fr.	1
calcaneum sin. fr.	1
mt I dex. fr. rprox.	1
Mt III dex. fr. prox.	1
mt V dex. fr. dist.	1
phalanx prima tarsi fr. dist.	1
metapodium indet fr. dist.	1
phalanx sec.	1

cf. Vulpes-:3641/3g
Phocidae sp.

entocuneiforme sin. fr.	1
phalanx prima tarsi fr. dist.	1

-:3658/1g

-

-:3667/2g
Phocidae sp.

tibia dex. fr. prox.	1
----------------------	---

-:3672/1g
Phocidae sp.

mt IIN sin. epiph. dist. fr.	1
------------------------------	---

-:3676g/1g, 3687/1g, 3698/1g

-

-:3703/2g
Phocidae sp.

humerus dex. fr. dist.	1
mt II dex. fr. prox.	1

-:3707/4g
Phocidae sp.

naviculare dex. fr.	1
---------------------	---

-:3712/1g, 3718/1g

-

-:3722/2g
Phocidae sp.

phalanx prima carpi s.e.	1
--------------------------	---

-:3727/1g

-

-:3732/1g
Phocidae sp.

cuboideum sin. fr.	1
--------------------	---

-:3738/2g
Phocidae sp.

cuboideum sin. fr.	1
--------------------	---

20584:3743/1g Phocidae sp.	entocuneiforme sin.	1
-:3749/2g Phocidae sp.	ulna dex. fr. rpox.	1
-:3756/1g, 3768/1g -		
-:3775/6g Phocidae sp.	humerus dex. fr. dist. humerus sin. fr. dist.	1 1
-:3780/3g Phocidae sp.	squamosum dex. fr.	1
-:3789/4g Phocidae sp.	bulla audit. sin. fr. mt I sin. epiph. prox.	1 1
-:3798/2g Phocidae sp.	scapula dex. fr.	1
-:3802/5g Phocidae sp.	mc I sin. fr. dist. mc V sin. fr. prox. mt I dex. epiph. prox. fr.	1 1 1
-:3807/3g -		
-:3815/25g Phocidae sp.	meatus audit ext. sin. fr. radius dex. fr. rpox. astragalus sin. fr. cuboideum fr. mt I dex. fr. dist. mt IV sin. fr. prox. phalanx prima tarsi epiph. prox. phalanx prima tarsi fr. dist. phalanx sec. fr. prox. vertebra fr.	1 1 1 1 1 1 1 1 1 1
cf. <u>Alces</u> <u>Perca/Lucioperca</u> sp.		
-:3821/2g -		
-:3843/20g Phocidae sp.	atlas fr. radius sin. fr. prox. scaphoideum sin. phalanx prima carpi fr. dist. cuboideum sin. fr. mt III sin. fr. prox.	1 1 1 1 1 1
-:3847/2g Phocidae sp.	naviculare dex. fr. phalanx sec. tarsi fr. s.e.	1 1

20584:3850/1g, 3855/1g

-

-:3858/1g

Phocidae sp.

mt III dex. fr. rpox.

1

-:3864/2g, 3868/4g

-

-:3877/10g

Phocidae sp.

humerus sin. fr. dist.

1

radius dex. fr. rpox.

1

patella fr.

1

phalanx prima tarsi fr. prox.

1

-:3880/1g

-

-:3887/14g

Phocidae sp.

humerus dex. fr. prox.

1

humerus sin. fr. dist.

1

ulna sin. fr. artic.

1

naviculare sin. fr.

1

phalanx prima tarsi fr. dist.

1

-:3893/11g

Teleostei ~~xxx~~ sp.

vertebra fr.

1

-:3897/2g, 3901/1g, 3906/1g

-

-:3910/2g

Phocidae sp.

ulna dex. fr. artic.

1

-:3916/11g

Phocidae sp.

scaphoideum dex. fr.

1

-:3921/2g

Phocidae sp.

phalanx sec. carpi

1

-:3925/1g

-

-:3932/60g

Phocidae sp.

bulla auditorius sin. fr.

1

vertebra caudalis fr.

1

radius dex. epiph. dist. fr.

1

ulna sin. fr. prox.

1

mc I sin. epiph. prox.

1

mc II sin. fr. prox.

1

mc IV sin. fr. prox.

1

phalanx prima carpi fr. dist.

3

astragalus sin. fr.

1

naviculare sin. fr.

1

mesocuneiforme dex.

1

mt I dex. epiph. prox. fr.

1

mt IV dex. fr. prox.

1

phalanx prima tarsi fr. prox.

1

phalanx sec. tarsi fr. prox.

2

20584:3937/7g Phocidae sp.	meatus audit. ext. dex. fr.	1
	trapezoideum sin.	1
	phalanx prima tarsi epiph. prox.	1
-:3942/11g Phocidae sp.	bulla audit. sin. fr.	1
	cond. occipitl sin. fr.	1
	caput humeri fr.	1
	ulna sin. fr. artic.	1
	patella fr.	1
	mt I sin. fr. dist.	1
	phalanx prima epiph. prox.	1
-:3949/2g -		
-:3956/3g Phocidae sp.	humerus sin. fr. dist.	1
	ulna dex. fr. artic.	1
-:3962/2g -		
-:3970/7g Phocidae sp.	vertebra caudalis fr.	1
	ulna dex. fr. artic.	1
	scaphoideum dex. fr.	1
	phalanx sec. carpi	1
	phalanx sec. tarsi fr. prox.	1
-:3977/6g Phocidae sp. cf. <u>Alces</u>	humerus dex. fr. dist.	1
	phalanx sec. fr. prox.	1
-:3984/5g Phocidae sp.	phalanx prima tarsi fr. prox.	1
-:3987/6g Phocidae sp.	epistropheus fr.	1
	fibula sin. fr. diaph. dist.	1
	ectocuneiforme sin.	1
-:3993/46g Phocidae sp.	bulla audit. sin. fr.	1
	humerus dex. fr. prox.	1
	humerus dex. fr. dist.	1
	caput femoris fr.	1
	femur sin. fr. dist.	1
	fibula dex. epiph. dist.	1
	calcaneum sin. fr.	1
	naviculare sin.	1
	entocuneiforme sin.	1
	cuboideum dex. fr.	1
	phalanx prima tarsi epiph. prox.	1
	phalanx prima tarsi fr. dist.	1
	phalanx sec. tarsi s.e.	1

20584:3997/1g

-

-:4006/3g

Phocidae sp.

mt IV dex. fr. prox.

1

-:4008/2g

Phocidae sp.

squamosum dex. fr.

1

-:4013/1g

-

-:4019/3g

Phocidae sp.

bulla audit. dex. fr.

1

mt II sin. fr. prox.

1

-:4030/2g

Phocidae sp.

bulla audit. sin. fr.

1

-:4034/3g

Phocidae s-.

ulna dex. fr. dist.

1

-:4040/5g

Phocidae sp.

mt I dex. epiph. prox. fr.

1

mt V sin. fr. prox.

1

-:4044/3g

Phocidae sp.

epistropheus fr.

1

-:4048/5g

Phocidae sp.

radius sin. epiph. dist. fr.

1

-:4055/1g, 4066/1g, 4072/1g

-

-:4080/4g

Phocidae sp.

phalanx sec. tarsi fr. prox.

1

-:4093/6g

Phocidae sp.

mt IV dex. fr. prox.

1

-:4096/1g, 4101/1g, 4105/1g, 4115/1g, 4158/1g

-

-:4162/7g

Phocidae sp.

mt IV dex. fr. prox.

1

Perca/Lucioperca sp.

vertebra fr.

1

-:4176/1g, 4178/1g, 4182/1g, 4191/1g, 4194/2g, 4197/1g, 4224/1g

-

-:4234/1g

Phocidae sp.

~~emboidemx dex fr~~

2

mt V sin. fr. prox.

1

-:4238/1g

Phocidae sp.

cuboideum dex. fr.

2

-:4245/1g

-

20584:4264/2g Phocidae sp.	squamosum sin. fr.	1
-:4295/1g -		
-:4316/2g Phocidae sp.	squamosum sin.	1
-:4328/2g -		
-:4330/10g Phocidae sp.	entocuneiforme sin. fr.	1
-:4348/1g -		
-:4354x/2g -		
-:4363/7g Phocidae sp.	bulla auditorius dex. fr. mt I dex. fr. dist.	1 1
<u>Lota lota</u>	vertebra fr.	1
-:4368/5g -		
-:4375/1g Phocidae sp.	vertebra caudalis fr.	1
-:4380/1g, 4385/2g, 4392/1g, 4405/4g -		
-:4411/2g Phocidae sp.	epistropheus fr.	1
-:4418/11g Phocidae sp.	humerus dex. fr. dist. ulna sin. fr. artic. naviculare dex. fr. phalanx prima tarsi fr. dist.	2 1 1 1
-:4422/2g Phocidae sp.	squamosum dex. frl	1
-:4430/31g Phocidae sp.	meatus audit. ext. sin. fr. squamosum sin. fr. caput humeri fr. radius sin. fr. prox. m V sin. fr. prox. phalanx prima carpi fr. prox. phalanx prima carpi fr. dist. vertebra fr.	1 1 1 1 1 1 1 1
<u>Lota lota</u>		

20584:4434/1g, 4449/2g

-

-:4453/2g
Phocidae sp.phalanx prima ~~access.~~ tarsi fr. ^{prox.} ~~dist.~~ 1-:4461/10g
Phocidae sp.humerus sin. fr. dist. 1
phalanx sec. carpi 1
mesocuneiforme dex. fr. 1
mt I sin. fr. dist. 1
phalanx prima access. tarsi fr. dist. 1Alces alces-:4468/9g
Phocidae sp.radius dex. fr. prox. 1
ulna sin. fr. artic. 1
mc II dex. s.e. 1
fibula sin. ff. dist. 1-:4474/7g
Phocidae sp. ~~m~~atlas fr. 1
radius sin. epiph. dist. fr. 1
phalanx sec. carpi 1
phalanx sec. carpi fr. prox. 1
phalanx prima tarsi fr. prox. 1
phalanx ung. tarsi fr. prox. 1-:4479/4g
Phocidae sp.

fibula sin. epiph. dist. 1

-:4487/54g
Phocidae sp.meatus audit ext. dex. fr. 1
bulla audit sin. fr. 1
humerus sin. fr. dist. 1
radius dex. fr. prox. 1
radius dex. fr. dist. 1
radius sin. epiph. prox. 1
phalanx prima carpi s.e. 1
tibia sin. epiph. dist. 1
cuboideum sin. fr. 1
mt IV sinl fr. prox. 1
mt indet. fr. dist. 1
mc II dex. fr. rprox. 1

Mammalia sp. (pieni)

-:4492/2g
Phocidae sp.

ulna dex. fr. artic. 1

-:4498/2g
Phocidae sp.mc I sin. fr. prox. 1
mt II sin. fr. prox. 1

-:4504/1g

-

-:4507/4g
Phocidae sp.
cf. Alcessquamosum sin. fr. 1
metapodium indet fr. dist. 1

20584:4512/1g

-

-:4518/3g

Phocidae sp.

mt I sin. fr. dist.

1

-:4521/1g

Phocidae sp.

phalanx prima carpi fr. dist.

1

-:4540/3g

Phocidae sp.

mt V dex. fr. prox.

1

-:4566/1g

Phocidae sp.

phalanx prima carpi

1

-:4573/1g

-

-:4577/1g

Phocidae sp.

vertebra caudalis fr.

1

-:4590/7g

Phocidae sp.

phalanx prima carpi s.e.

1

-:4596/6g

Phocidae sp.

squamosum dex. fr.

1

trapezoideum sin. fr.

1

-:4599/9g

-

-:4605/13g

Phocidae sp.

squamosum dex. fr.

1

-:4611/1g, 4617/1g

-

-:4621/4g

Phocidae sp.

mt I sin. fr. dist.

1

-:4629/1g

-

-:4634/7g

Phocidae sp.

mt indet. fr. dist.

2

phalanx prima tarsi fr. prox.

1

phalanx sec. tarsi fr. rpox.

1

-:4663/1g

-

-:4671/6g

Phocidae sp.

mt III sin. fr. rpox.

1

cf. Vulpes

mc V dex. fr. dist.

1

-:4675/3g

Phocidae sp.

squamosum sin. fr.

1

astragalus dex. fr.

1

20584:4681/4g Phocidae sp.	mt I dex. fr. dist.	1
--:4685/8g Phocidae sp.	humerus sin. fr. dist. mc II sin. fr. prox. mc indet. fr. dist. phalanx prima carpi s.e.	1 1 1 1
--:4690/7g Phocidae sp.	caput femoris ff. ectocuneiforme sin.	1 1
--:4694/2g Phocidae sp.	meatus audit ext. dex. fr. phalanx sec. tarsi fr. prox.	1 1
--:4713/2g -		
--:4723/1g Phocidae sp.	phalanx prima carpi	1
--:4726/2g Phocidae sp.	ischium dex. fr.	1
